

# CLEENOL

For a cleaner, safer world

## SAFETY DATA SHEET OSMOS PREMIUM DISHWASHER DETERGENT

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	OSMOS PREMIUM DISHWASHER DETERGENT
Internal identification	OSM-PDD-2X5, OSM-PDD-10
Container size	2X5L, 10L

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Detergent.
-----------------	------------

#### 1.4. Emergency telephone number

Emergency telephone	In case of a medical emergency following exposure to a chemical, call NHS Direct via 111 (UK only).
---------------------	---

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (SI 2019 No. 720)

Physical hazards	Met. Corr. 1 - H290
Health hazards	Skin Corr. 1A - H314 Eye Dam. 1 - H318
Environmental hazards	Not Classified

#### 2.2. Label elements

##### Hazard pictograms



Signal word	Danger
Hazard statements	H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage.

## OSMOS PREMIUM DISHWASHER DETERGENT

<b>Precautionary statements</b>	P234 Keep only in original packaging.
	P260 Do not breathe vapour/ spray.
	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
	P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P363 Wash contaminated clothing before reuse.

**Contains** SODIUM HYDROXIDE

<b>Supplementary precautionary statements</b>	P264 Wash contaminated skin thoroughly after handling.
	P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P310 Immediately call a POISON CENTER/ doctor.
	P321 Specific treatment (see medical advice on this label).
	P390 Absorb spillage to prevent material damage.
	P405 Store locked up.
P406 Store in a corrosion-resistant container with a resistant inner liner.	
P501 Dispose of contents/ container in accordance with national regulations.	

### 2.3. Other hazards

#### SECTION 3: Composition/information on ingredients

##### 3.2. Mixtures

<b>SODIUM HYDROXIDE</b>	<b>10-30%</b>
CAS number: 1310-73-2	EC number: 215-185-5
<b>Classification</b>	
Skin Corr. 1A - H314	
Eye Dam. 1 - H318	
<b>(1-hydroxyethylidene)bisphosphonic acid, sodium salt</b>	<b>10-30%</b>
CAS number: 29329-71-3	EC number: 249-559-4
<b>Classification</b>	
Acute Tox. 4 - H302	
Eye Irrit. 2 - H319	
<b>HYDROCHLORIC ACID ...%</b>	<b>&lt;1%</b>
CAS number: 7647-01-0	EC number: 231-595-7
<b>Classification</b>	
Skin Corr. 1B - H314	
Eye Dam. 1 - H318	
STOT SE 3 - H335	

## OSMOS PREMIUM DISHWASHER DETERGENT

<b>ORTHOPHOSPHORIC ACID ... %</b> <span style="float: right;"><b>&lt;1%</b></span> CAS number: 7664-38-2                      EC number: 231-633-2
<b>Classification</b> Skin Corr. 1B - H314 Eye Dam. 1 - H318
<b>FORMALDEHYDE ... %</b> <span style="float: right;"><b>&lt;1%</b></span> CAS number: 50-00-0                      EC number: 200-001-8
<b>Classification</b> Acute Tox. 3 - H301 Acute Tox. 3 - H311 Acute Tox. 3 - H331 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Muta. 2 - H341 Carc. 1B - H350 STOT SE 3 - H335

The full text for all hazard statements is displayed in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>Inhalation</b>	Unlikely route of exposure as the product does not contain volatile substances.
<b>Ingestion</b>	Rinse mouth. Do not induce vomiting. Give a few small glasses of water or milk to drink. Get medical attention.
<b>Skin contact</b>	After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Get medical attention if symptoms are severe or persist after washing.
<b>Eye contact</b>	Rinse cautiously with water for several minutes. Remove any contact lenses and open eyelids wide apart. Continue to rinse. Get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	Considered to be a low inhalation hazard at normal workplace temperatures.
<b>Ingestion</b>	Corrosive. May cause chemical burns in mouth, oesophagus and stomach.
<b>Skin contact</b>	Causes severe burns.
<b>Eye contact</b>	Causes serious eye damage.

#### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	No specific recommendations.
<b>Specific treatments</b>	Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

**Suitable extinguishing media** The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

#### 5.2. Special hazards arising from the substance or mixture

## OSMOS PREMIUM DISHWASHER DETERGENT

**Specific hazards** Water used for fire extinguishing, which has been in contact with the product, may be corrosive.

### 5.3. Advice for firefighters

**Protective actions during firefighting** Fight fire with normal precautions from a reasonable distance. Avoid breathing fire gases or vapours.

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing will provide a basic level of protection for chemical incidents.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid contact with skin, eyes and clothing. Take care as floors and other surfaces may become slippery. Do not touch or walk into spilled material.

### 6.2. Environmental precautions

**Environmental precautions** The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms. Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Absorb in vermiculite, dry sand or earth and place into containers. Dispose of waste via a licensed waste disposal contractor. Discharge of small quantities to the sewer with plenty of water may be permitted.

### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. For waste disposal, see Section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** For professional users only. Avoid contact with skin, eyes and clothing.

**Advice on general occupational hygiene** Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Keep only in the original container. Keep container tightly sealed when not in use.

**Storage class** Chemical storage. Corrosive storage.

### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure controls/Personal protection

### 8.1. Control parameters

#### Occupational exposure limits

#### **SODIUM HYDROXIDE**

Short-term exposure limit (15-minute): WEL 2 mg/m<sup>3</sup>

#### **HYDROCHLORIC ACID ...%**

Long-term exposure limit (8-hour TWA): WEL 1 ppm 2 mg/m<sup>3</sup> gas and aerosol mists

Short-term exposure limit (15-minute): WEL 5 ppm 8 mg/m<sup>3</sup> gas and aerosol mists

#### **ORTHOPHOSPHORIC ACID ... %**

Long-term exposure limit (8-hour TWA): WEL 1 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 2 mg/m<sup>3</sup>

## OSMOS PREMIUM DISHWASHER DETERGENT

### FORMALDEHYDE ... %

Long-term exposure limit (8-hour TWA): WEL 2 ppm 2.5 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 2 ppm 2.5 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit.

### 8.2. Exposure controls

#### Protective equipment



#### Appropriate engineering controls

Not applicable.

#### Eye/face protection

Wear eye protection. Personal protective equipment that provides appropriate eye and face protection should be worn.

#### Hand protection

It is recommended that chemical-resistant, impervious gloves are worn. Wear protective gloves made of the following material: Nitrile rubber. Rubber (natural, latex). To protect hands from chemicals, wear gloves that are proven to be impervious to the chemical and resist degradation.

#### Other skin and body protection

Wear appropriate clothing to prevent skin contamination.

#### Hygiene measures

Promptly remove any clothing that becomes wet or contaminated. Wash contaminated skin thoroughly after handling.

#### Respiratory protection

No specific requirements are anticipated under normal conditions of use. Respiratory protection may be required if excessive airborne contamination occurs.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Colourless.
Odour	No characteristic odour.
pH	pH (concentrated solution): 12.5-13.5
Initial boiling point and range	100°C @ 760 mm Hg
Flash point	Not applicable.
Relative density	~ 1.24 @ 20°C
Solubility(ies)	Soluble in water.
Auto-ignition temperature	Not applicable.
Explosive properties	Not applicable.
Oxidising properties	Does not meet the criteria for classification as oxidising.

### 9.2. Other information

Refractive index	32 - 34
Volatile organic compound	This product contains a maximum VOC content of <1 %.

## SECTION 10: Stability and reactivity

## OSMOS PREMIUM DISHWASHER DETERGENT

### 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures and when used as recommended.

### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** Strong acids.

### 10.4. Conditions to avoid

**Conditions to avoid** Avoid contact with acids.

### 10.5. Incompatible materials

**Materials to avoid** Acids.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Does not decompose when used and stored as recommended.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

**Toxicological effects** Information given is based on data of the components and of similar products.

### Skin corrosion/irritation

**Skin corrosion/irritation** Causes severe burns.

**Extreme pH**  $\geq 11.5$

### Serious eye damage/irritation

**Serious eye damage/irritation** Causes serious eye damage.

### **Inhalation**

Considered to be a low inhalation hazard at normal workplace temperatures. Gas or vapour in high concentrations may irritate the respiratory system.

### **Ingestion**

Corrosive. May cause chemical burns in mouth and throat.

### **Skin contact**

Causes severe burns.

### **Eye contact**

Causes serious eye damage.

## SECTION 12: Ecological information

### **Ecotoxicity**

The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.

### 12.1. Toxicity

**Toxicity** The product is not believed to present a hazard due to its physical nature.

## OSMOS PREMIUM DISHWASHER DETERGENT

### 12.2. Persistence and degradability

**Persistence and degradability** The product contains inorganic substances which are not biodegradable.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** Bioaccumulation is unlikely.

### 12.4. Mobility in soil

**Mobility** The product is water-soluble and may spread in water systems.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

**Other adverse effects** None known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**General information** Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out.

**Disposal methods** Dispose of contents/container in accordance with national regulations. Following dilution, discharge to the sewer with plenty of water may be permitted.

## SECTION 14: Transport information

### 14.1. UN number

UN No. (ADR/RID)	1760
UN No. (IMDG)	1760
UN No. (ICAO)	1760
UN No. (ADN)	1760

### 14.2. UN proper shipping name

<b>Proper shipping name (ADR/RID)</b>	CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE)
<b>Proper shipping name (IMDG)</b>	CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE)
<b>Proper shipping name (ICAO)</b>	CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE)
<b>Proper shipping name (ADN)</b>	CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE)

### 14.3. Transport hazard class(es)

ADR/RID class	8
ADR/RID classification code	C9
ADR/RID label	8
IMDG class	8
ICAO class/division	8
ADN class	8

# OSMOS PREMIUM DISHWASHER DETERGENT

## Transport labels



### 14.4. Packing group

ADR/RID packing group	II
IMDG packing group	II
ICAO packing group	II
ADN packing group	II

### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

### 14.6. Special precautions for user

EmS	F-A, S-B
ADR transport category	2
Emergency Action Code	2X
Hazard Identification Number (ADR/RID)	80
Tunnel restriction code	(E)

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**National regulations** The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 (as amended).

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## SECTION 16: Other information

Issued by	Regulatory Chemist
Revision date	30/07/2021
Revision	21
Supersedes date	03/03/2021
SDS number	10072

## OSMOS PREMIUM DISHWASHER DETERGENT

### Hazard statements in full

H290 May be corrosive to metals.  
H301 Toxic if swallowed.  
H302 Harmful if swallowed.  
H311 Toxic in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H331 Toxic if inhaled.  
H335 May cause respiratory irritation.  
H341 Suspected of causing genetic defects.  
H350 May cause cancer.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.